

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	548	711/220.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 14:46
S2	10	711/220.ccls. and (bit adj group\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/06 08:26
S3	413021	((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 09:33
S4	77	711/220.ccls. and (((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/06 09:10
S5	63	711/220.ccls. and (program adj memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/06 09:13
S6	0	711/220.ccls. and (comparand adj register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/06 09:14
S7	3	711/220.ccls. and ((bit adj group\$1) same position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/06 09:21
S8	925	((bit adj group\$1) same position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/06 09:22
S9	10740	program adj (circuit\$1 or logic\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 11:56
S10	8	(((((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory)) and (((bit adj group\$1) same position))) and (program adj (circuit\$1 or logic\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/06 09:23

S11	123	((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory)) and (((bit adj group\$1) same position))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 13:23
S12	27	("3980992"   "4558411"   "4758985"   "4791602"   "4791603"   "4821183"   "4823286"   "4992680"   "5055712"   "5175862"   "5185706"   "5220213"   "5231588"   "5250859"   "5321845"   "5473267"   "5594364"   "5619668"   "5670897"   "5670900"   "5802541"   "6011740"   "6049223"   "6054871"   "6114873"   "6160419"   "6278289").PN.	USPAT	OR	ON	2004/01/06 09:39
S13	1186	365/49.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/06 12:36
S14	2	((bit adj group\$1) same position) and 365/49.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/06 12:40
S15	9	(program adj (circuit\$1 or logic\$1)) and 365/49.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 07:58
S16	0	(711/220.ccls. and ((bit adj group\$1) same position)) and 365/49.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/06 12:51
S17	394182	((contend adj addressable adj memory) or CAM)or associative adj memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 14:30
S18	10	"6006321"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/06 13:15
S19	1	"6006321".URPN.	USPAT	OR	ON	2004/01/06 13:23
S20	0	"6351142".URPN.	USPAT	OR	ON	2004/01/06 13:29
S21	0	"6351142".URPN.	USPAT	OR	ON	2004/01/06 13:29

S22	27	("3980992"   "4558411"   "4758985"   "4791602"   "4791603"   "4821183"   "4823286"   "4992680"   "5055712"   "5175862"   "5185706"   "5220213"   "5231588"   "5250859"   "5321845"   "5473267"   "5594364"   "5619668"   "5670897"   "5670900"   "5802541"   "6011740"   "6049223"   "6054871"   "6114873"   "6160419"   "6278289").PN.	USPAT	OR	ON	2004/01/06 13:30
S23	0	"6351142".URPN.	USPAT	OR	ON	2004/01/06 13:44
S24	143	comparand adj register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/12 07:58
S25	394182	((contend adj addressable adj memory) or CAM)or associative adj memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 07:57
S26	10740	(program adj (circuit\$1 or logic\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 07:58
S27	3	((comparand adj register\$1) and (((contend adj addressable adj memory) or CAM)or associative adj memory)) and ((program adj (circuit\$1 or logic\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 07:59
S28	126	(comparand adj register\$1) and (((contend adj addressable adj memory) or CAM)or associative adj memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 09:36
S29	21	"0135691"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 09:38
S30	1	"047754".apn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 11:38
S31	0	"20030135691".URPN.	USPAT	OR	ON	2004/01/07 11:37

S32	11	"6181699"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 11:45
S33	20	"6237061"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 11:53
S34	17421	(input nera5 data near5 selection) same CAM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 11:55
S35	163	comparand near5 register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 11:56
S36	85	((input nera5 data near5 selection) same CAM) and (comparand near5 register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 11:56
S37	80438	program near5 (circuit\$1 or logic\$1 or register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 11:57
S38	18	((input nera5 data near5 selection) same CAM) and (comparand near5 register\$1)) and (program near5 (circuit\$1 or logic\$1 or register\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 12:09
S39	107	comparand near5 data same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 13:47
S40	8	programmable adj bit adj register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 14:32
S41	394182	((contend adj addressable adj memory) or CAM) or associative adj memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 14:30

S42	1781	programmable adj register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 14:33
S43	92	((((contend adj addressable adj memory) or CAM)or associative adj memory) and (programmable adj register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 14:33
S44	5411	translation near5 (circuit\$1 or logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 12:33
S45	0	(((((contend adj addressable adj memory) or CAM)or associative adj memory) and (programmable adj register)) and (translation near5 (circuit\$1 or logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 14:35
S46	5	(comparand near5 data same register\$1) and (((contend adj addressable adj memory) or CAM)or associative adj memory) and (programmable adj register))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 14:35
S47	1	(programmable adj bit adj register) and (((contend adj addressable adj memory) or CAM)or associative adj memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 14:42
S48	79	packet near5 translation near5 (circuit\$1 or logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 14:52
S49	2	((((contend adj addressable adj memory) or CAM)or associative adj memory) and (packet near5 translation near5 (circuit\$1 or logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 15:17
S50	9082	packet adj header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 14:52
S51	58	(packet adj header\$1) same (comparand\$1 or search near3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/17 12:07

S52	36	((search adj key) or comparand) near5 data near5 (selection or generation or extraction or creation or translation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 17:25
S53	2	comparand near5 data near5 (selection or generation or extraction or creation or translation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 17:26
S54	163	comparand near5 register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 17:27
S55	37	(comparand near5 register) and programming	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 12:12
S56	130	711/214.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 17:38
S57	4990	370/392	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 13:24
S58	647	370/392 and translation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 13:21
S59	243	(370/392 and translation) and (comparand or key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 13:22
S60	413200	((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/22 08:32
S61	36	((370/392 and translation) and (comparand or key)) and (((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 13:46

S62	5119	bit near5 programming	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 13:47
S63	10	370/392 and (bit near5 programming)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 13:53
S64	0	350/351.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 13:53
S65	5416	translation near5 (circuit\$1 or logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 12:37
S66	442	address near5 translation adj (circuit\$1 or logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 12:38
S67	163	comparand near5 register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 12:46
S68	5	(address near5 translation adj (circuit\$1 or logic)) and (comparand near5 register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 12:50
S69	10	(translation near5 (circuit\$1 or logic)) and (comparand near5 register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 12:50
S70	3032	370/392.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 12:58
S71	7	(address near5 translation adj (circuit\$1 or logic)) and 370/392.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 12:45

S72	3	370/392.ccls. and (comparand adj register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 13:16
S73	3032	370/392.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 13:24
S74	51	370/392.ccls. and ((comparand or index or key) near5 register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 15:02
S75	2	"09166707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 15:10
S76	7	"166707".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 15:04
S77	130422	header near5 key (generation or extraction or selection) near5 circuit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 15:58
S78	57396	bit near5 (position\$3 or rank\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 15:13
S79	6062	(header near5 key (generation or extraction or selection) near5 circuit\$1) and (bit near5 (position\$3 or rank\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 15:14
S80	243565	program\$4 near5 (circuit or logic or register or memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 15:16
S81	2293	((header near5 key (generation or extraction or selection) near5 circuit\$1) and (bit near5 (position\$3 or rank\$3))) and (program\$4 near5 (circuit or logic or register or memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 15:16



S82	394332	((((contend adj addressable adj memory) or CAM)or associative adj memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 15:17
S83	256	((((header near5 key (generation or extraction or selection) near5 circuit\$1) and (bit near5 (position\$3 or rank\$3))) and (program\$4 near5 (circuit or logic or register or memory))) and (((contend adj addressable adj memory) or CAM)or associative adj memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 15:18
S84	23888	bit near5 program\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 15:18
S85	110	(((((header near5 key (generation or extraction or selection) near5 circuit\$1) and (bit near5 (position\$3 or rank\$3))) and (program\$4 near5 (circuit or logic or register or memory))) and (((contend adj addressable adj memory) or CAM)or associative adj memory))) and (bit near5 program\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 15:18
S86	2424338	select or switch or mux or multiplex\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 15:19
S87	110	(((((header near5 key (generation or extraction or selection) near5 circuit\$1) and (bit near5 (position\$3 or rank\$3))) and (program\$4 near5 (circuit or logic or register or memory))) and (((contend adj addressable adj memory) or CAM)or associative adj memory))) and (bit near5 program\$4)) and (select or switch or mux or multiplex\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 15:20
S88	392	bit near5 level near5 representation near5 bit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 16:01
S89	87	(bit near5 level near5 representation near5 bit) and header\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 16:11

S90	1749	370/389.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 16:12
S91	10996	address near5 translation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 16:12
S92	141	370/389.ccls. and (address near5 translation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 16:12
S93	23888	bit near5 program\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 16:13
S94	7	(370/389.ccls. and (address near5 translation)) and (bit near5 program\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 16:20
S95	907	370/474.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 16:26
S96	42	370/474.ccls. and bit near5 program\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 16:31
S97	50	(((((contend adj addressable adj memory) or CAM)or associative adj memory))) and 370/474.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 16:42
S98	1	370/474.ccls. and (address adj translation adj circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 16:45
S99	250	address adj translation adj circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 16:45

S10 0	38	(address adj translation adj circuit) and (((contend adj addressable adj memory) or CAM)or associative adj memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 16:55
S10 1	6	(address adj translation adj circuit) and (packet near5 switching)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 16:59
S10 2	2680	header near5 (bit\$1group or segment\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 17:01
S10 3	287	(header near5 (bit\$1group or segment\$5)) and (bit near5 pattern\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 17:02
S10 4	25	(((contend adj addressable adj memory) or CAM)or associative adj memory)) and ((header near5 (bit\$1group or segment\$5)) and (bit near5 pattern\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 17:02
S10 5	2	"6453358"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 17:07
S10 6	143	comparand adj register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 12:18
S10 7	36633	(translation or extraction or map\$4)near5 (address or key\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 12:19
S10 8	34	(comparand adj register) and ((translation or extraction or map\$4)near5 (address or key\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 12:20
S10 9	25	((comparand adj register) and ((translation or extraction or map\$4)near5 (address or key\$1))) and cam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 12:20

S11 0	12	((comparand adj register) and ((translation or extraction or map\$4)near5 (address or key\$1))) and cam) and (control near5 circuit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 12:33
S11 1	3	"6351142"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 12:33
S11 2	0	"6531888".URPN.	USPAT	OR	ON	2004/01/11 12:34
S11 3	27	("3980992"   "4558411"   "4758985"   "4791602"   "4791603"   "4821183"   "4823286"   "4992680"   "5055712"   "5175862"   "5185706"   "5220213"   "5231588"   "5250859"   "5321845"   "5473267"   "5594364"   "5619668"   "5670897"   "5670900"   "5802541"   "6011740"   "6049223"   "6054871"   "6114873"   "6160419"   "6278289").PN.	USPAT	OR	ON	2004/01/11 12:34
S11 4	1	(comparand near5 register) near5 (translation or extraction or map\$4) and cam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 12:47
S11 5	1	(comparand near5 register) near5 (translation or extraction or map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 12:48
S11 6	10	((comparand near5 register) and cam) and (bit near5 pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 14:52
S11 7	117	(comparand near5 register) and cam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 14:13
S11 8	5763	((comparand near5 register) and cam) (header same key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 14:14

S11 9	4	((comparand near5 register) and cam) and (header same key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 14:14
S12 0	12	"5438535"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 14:21
S12 1	59	((comparand near5 register) and cam) and router\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 14:21
S12 2	3	"6351142"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 14:57
S12 3	776	address adj (translation or extraction or map\$4 or select\$4) same header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 15:00
S12 4	163	comparand near5 register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 15:00
S12 5	5	(address adj (translation or extraction or map\$4 or select\$4) same header) and (comparand near5 register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 16:18
S12 6	760	address near5 translation near5 circuit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 16:00
S12 7	1	(comparand near5 register\$1) and (address near5 translation near5 circuit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 16:07
S12 8	15	"0222779"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 16:07
S12 9	0	"676698".URPN.	USPAT	OR	ON	2004/01/11 16:08

S13 0	39431	bit near5 pattern\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 16:18
S13 1	24	(comparand near5 register\$1) and (bit near5 pattern\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 16:20
S13 2	117	(comparand near5 register\$1) and cam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/11 16:21
S13 3	26	((comparand near5 register\$1) and cam) and (header near5 (key or field or bit\$2pattern\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/03 10:06
S13 4	12970	((((network adj interface adj (CARD or device)) or NIC) or (router adj blade)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/12 07:57
S13 5	143	comparand adj register\$\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/12 07:58
S13 6	1	(((((network adj interface adj (CARD or device)) or NIC) or (router adj blade))) and (comparand adj register\$\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/12 08:04
S13 7	421	(((((network adj interface adj (CARD or device)) or NIC) or (router adj blade))) and cam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/12 08:04
S13 8	5	(((((network adj interface adj (CARD or device)) or NIC) or (router adj blade))) and cam) and comparand	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/12 08:07
S13 9	9153	(network adj interface) near5 (ic or device or circuit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/12 08:09

S14 0	335	((network adj interface) near5 (ic or device or circuit\$1)) and cam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/12 08:09
S14 1	8	((network adj interface) near5 (ic or device or circuit\$1)) and cam) and comparand	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/12 08:09
S14 2	627	cam adj array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/12 16:13
S14 3	163	comparand near5 register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/12 16:14
S14 4	80	(cam adj array) and (comparand near5 register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/12 16:18
S14 5	21	((cam adj array) and (comparand near5 register\$1)) and program\$4 near5 (circuits or logic or register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/12 16:19
S14 6	12272	cam near5 block\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/14 12:10
S14 7	1914	cam adj block\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/14 12:10
S14 8	16	((cam adj block\$1) and (cam adj array\$1)) and (comparand adj register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 11:22
S14 9	2	"5438535".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/19 13:13

S15 0	214814	(storage or register or flip\$3flop\$3 or latch\$1) same address\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 11:24
S15 1	95946	decod\$3 same address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 11:25
S15 2	217728	(storage or register or flip\$3flop\$3 or latch\$1 or fifo) same address\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 11:24
S15 3	5137	(demux\$3 demultiplex\$3) same address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 11:26
S15 4	748	(cross\$3bar near5 switch) same address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 11:27
S15 5	30	((decod\$3 same address\$3) and ((storage or register or flip\$3flop\$3 or latch\$1 or fifo) same address\$4) and ((demux\$3 demultiplex\$3) same address\$3) and ((cross\$3bar near5 switch) same address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/22 18:37
S15 6	413678	((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 11:59
S15 7	22	((decod\$3 same address\$3) and ((storage or register or flip\$3flop\$3 or latch\$1 or fifo) same address\$4) and ((demux\$3 demultiplex\$3) same address\$3) and ((cross\$3bar near5 switch) same address\$3)) and (((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 09:19
S15 8	22451	((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory)) with block\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/22 08:33



S15 9	712	(((((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory))) with block\$1) and (comparand or (input adj data) or key or search) same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/22 08:35
S16 0	6	(((((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory))) with block\$1) and (comparand or (input adj data) or key or search) same register\$1 ) and demux	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/22 08:36
S16 1	54	(((((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory))) with block\$1) and (comparand or (input adj data) or key or search) same register\$1 ) and (demux\$3 or demultipl\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/22 08:36
S16 2	5	(((((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory))) with block\$1) and (comparand or (input adj data) or key or search) same register\$1 ) and (demux\$3 or demultipl\$5)) and (cross\$3bar)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/22 08:48
S16 3	7	(((((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory))) with block\$1) and (comparand or (input adj data) or key or search) same register\$1 ) and (cam adj block\$1)) and (translat\$4 or map\$3 or filter\$3 or extract\$3 or rearrang\$5) near3 circuit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/22 08:52
S16 4	62	(((((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory))) with block\$1) and (comparand or (input adj data) or key or search) same register\$1 ) and (cam adj block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/22 09:05
S16 5	62	(((((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory))) with block\$1) and (comparand or (input adj data) or key or search) same register\$1 ) and (cam adj blocks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/22 09:28
S16 6	74	plurality near5 (cam adj blocks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/22 09:38

S16 7	673	CAM and (demux\$3 or demultipl\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/22 18:45
S16 8	46	(CAM and (demux\$3 or demultipl\$5)) and cross\$3bar	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/22 18:51
S16 9	3	((CAM and (demux\$3 or demultipl\$5)) and cross\$3bar) and comparand	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/22 18:51
S17 0	22	((decod\$3 same address\$3) and ((storage or register or flip\$3flop\$3 or latch\$1 or fifo) same address\$4) and ((demux\$3 demultiplex\$3) same address\$3) and ((cross\$3bar near5 switch) same address\$3)) and (((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 09:27
S17 1	11	((decod\$3 same address\$3) and ((storage or register or flip\$3flop\$3 or latch\$1 or fifo) same address\$4) and ((demux\$3 demultiplex\$3) same address\$3) and ((cross\$3bar near5 switch) same address\$3)) and (((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory))) and cam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 09:25
S17 2	22	((decod\$3 same address\$3) and ((storage or register or flip\$3flop\$3 or latch\$1 or fifo) same address\$4) and ((demux\$3 demultiplex\$3) same address\$3) and ((cross\$3bar near5 switch) same address\$3)) and (((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory)) same address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 09:33
S17 3	413917	((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 10:16

S17 4	22	((decod\$3 same address\$3) and ((storage or register or flip\$3flop\$3 or latch\$1 or fifo) same address\$4) and ((demux\$3 demultiplex\$3) same address\$3) and ((cross\$3bar near5 switch) same address\$3)) and (((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory))) and (((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 10:08
S17 5	1642	((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory)) and (demux\$2 or demultiplex\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 10:09
S17 6	1401	((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory)) and (demux\$2 or demultiplex\$3)) and (address translat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 10:11
S17 7	64	((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory)) and (demux\$2 or demultiplex\$3)) and (address translat\$4)) and (crossbar near5 switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 10:11
S17 8	238	((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory)) and (demux\$2 or demultiplex\$3)) and (address same translat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 10:12
S17 9	35	((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory)) and (demux\$2 or demultiplex\$3)) and (address same translat\$4 same storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 10:17
S18 0	391378	((contend adj addressable adj memory) or CAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 10:16
S18 1	649	((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory)) and (demux\$2 or demultiplex\$3)) and (((contend adj addressable adj memory) or CAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 10:16

S18 2	500	(((((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory)) and (demux\$2 or demultiplex\$3)) and (address translat\$4)) and (((((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory)) and (demux\$2 or demultiplex\$3)) and (((contend adj addressable adj memory) or CAM))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 10:16
S18 3	11	(((((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory)) and (demux\$2 or demultiplex\$3)) and (address translat\$4)) and (((((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory)) and (demux\$2 or demultiplex\$3)) and (((contend adj addressable adj memory) or CAM)))) and (address same translat\$4 same storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 10:19
S18 4	265	((((contend adj addressable adj memory) or CAM)) and comparand	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 10:19
S18 5	12	(((((contend adj addressable adj memory) or CAM)) and comparand) and (((((contend adj addressable adj memory) or CAM) or (associat\$3 adj memory)) and (demux\$2 or demultiplex\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 10:20
S18 6	67	(cam adj block\$1) and (cam adj array\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 17:31
S18 7	2	"5920886".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/24 11:19
S18 8	0	"20030005146".apn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/26 15:43
S18 9	2	"20030005146"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/26 15:43

S19 0	0	"20030189932".apn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/17 12:08
S19 1	2	"20030189932".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/17 12:08
S19 2	4971	711/5,104,108,117,128,150-152, 202,216.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/03 10:10
S19 3	2876	((translat\$4 or map\$4) same (((bit near2 group) or field or pattern) near5 position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/03 10:15
S19 4	16	711/5,104,108,117,128,150-152, 202,216.ccls. and ((translat\$4 or map\$4) same (((bit near2 group) or field or pattern) near5 position))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/03 10:18
S19 5	9818	365/49,168,189.02,189.05,201,230. 03.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/03 10:20
S19 6	4	((translat\$4 or map\$4) same (((bit near2 group) or field or pattern) near5 position)) and 365/49,168, 189.02,189.05,201,230.03.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/03 10:24
S19 7	5924	370/389,392,475.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/03 10:25
S19 8	6	((translat\$4 or map\$4) same (((bit near2 group) or field or pattern) near5 position)) and 370/389,392, 475.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 11:12
S20 9	2	"6629099".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 09:05

S21 0	0	"200400032775".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 08:29
S21 1	0	"200400032775"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 08:30
S21 2	2	"20040032775"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 08:30
S21 3	2	"6373758".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 09:08
S21 4	2	"6445628".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 09:19
S21 5	0	"65525987".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 09:19
S21 6	2	"6525987".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 09:22
S21 7	2	"6691252".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 09:23
S21 8	2	"5046046".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 09:24
S21 9	2	"5088066".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 09:25

S22 0	2	"5319589".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 09:27
S22 1	2	"6243281".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 09:37
S22 2	2	"6275406".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 09:45
S22 3	2	"6597595".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 09:56
S22 4	0	S209 and S212 and S213 and S214 and S216 and S217 and S218 and S219 and S220 and S221 and S222 and S223	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 09:58
S22 5	0	S209 and S212 and S213 and S214	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 09:59
S22 6	0	S209 and S212	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 09:59
S22 7	0	S209 and S212	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 09:59
S22 8	0	S209 and S212	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 09:59
S22 9	3114	((translat\$4 or map\$4) same (((bit near2 group) or field or pattern) near5 position))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 11:13

S23 0	0	S212 and S229	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 11:13
S23 1	3100	address same (de\$1mux or de\$1multiplexer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/05 12:20
S23 2	59	(address with translat\$3) same (de\$1mux or de\$1multiplexer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/06 09:00
S23 3	6	S232 and ((associative adj memory) or CAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:19
S23 4	6218	(switch) same (de\$1mux or de\$1multiplexer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:24
S23 5	142	S234 and ((associative adj memory) or CAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:33
S23 6	1	S235 and (address adj translation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:20
S23 7	4243	(switch) with (de\$1mux or de\$1multiplexer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:25
S23 8	1128	(switch) with (includ\$3 or compris\$3 or contain\$3 or hav\$3) with (de\$1mux or de\$1multiplexer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:33
S23 9	0	(address adj translat\$4) with (switch) with (includ\$3 or compris\$3 or contain\$3 or hav\$3) with (de\$1mux or de\$1multiplexer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:27



S24 0	0	(address adj translat\$4) same (switch) with (includ\$3 or compris\$3 or contain\$3 or hav\$3) with (de\$1mux or de\$1multiplexer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:27
S24 1	112	(address) same (switch) with (includ\$3 or compris\$3 or contain\$3 or hav\$3) with (de\$1mux or de\$1multiplexer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:28
S24 2	17	S235 and S241	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:28
S24 3	317	(switch) adj5 (includ\$3 or compris\$3 or contain\$3 or hav\$3) with (de\$1mux or de\$1multiplexer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 09:09
S24 4	15	S243 and ((associative adj memory) or CAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:33
S24 5	37	comparand adj registers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/06 09:08
S24 6	112	(address) same (switch) with (includ\$3 or compris\$3 or contain\$3 or hav\$3) with (de\$1mux or de\$1multiplexer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 08:52
S24 7	2	"5978307".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/06 09:01
S24 8	64	comparand near2 registers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/06 09:08
S24 9	10	S248 and (de\$1mux or de\$1multiplexer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 09:10

S25 0	10	S249 and (mux or multiplexer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 09:10
----------	----	-------------------------------	---	----	----	------------------